

Task 3. Conditionally rich numbers

Mariya has come up with the following definition for a **rich** number. It is given a positive integer X . Then a positive integer N is called a **rich** number (relative to X) if the sum of its divisors except N is greater than X . For example, the number 10 (whose sum of divisors is $1+2+5 = 8$) is **rich** relative to $X=7$ but it isn't **rich** relative to $X=12$.

Task

Write a program `rich_num` to help Mariya. The program will be given queries that are ordered triples of positive integers (L, R, V) and for each query it should calculate the number of **rich** numbers relative to V , which are greater than or equal to L and less than or equal to R .

Input

The first line of the standard input contains one positive integer Q – the number of queries that your program has to process.

Each of the next Q lines contains three positive integers L, R and V , which describe a query for your program to process.

Output

Your program should output to the standard output Q lines – one line for each query in the order of the input. Each line should contain the answer to the corresponding query.

Constraints

$$1 \leq Q \leq 10^5$$

$$1 \leq L \leq R \leq 10^5$$

$$1 \leq V \leq 10^5$$

Subtasks

Subtask	Points	Q	R	V	Other constraints
1	5	$\leq 10^3$	$\leq 10^3$	$\leq 10^5$	None
2	10	$\leq 10^5$	$\leq 10^4$	$= 10$	$L = 1$
3	30	$\leq 10^5$	$\leq 10^5$	≤ 10	None
4	55	$\leq 10^5$	$\leq 10^5$	$\leq 10^5$	None

The points for a subtask are given only if all the tests for it are passed.

Example

Input	Output
3	6
5 15 5	2
1 20 20	4
12 20 10	