

## Забелязани цитирания на научните публикации на Цонка Байчева

✓ Т. Baicheva, G. Bogdanova, S. Ilieva and S. Topalova, Object-oriented C++ library for computations in and over finite fields of characteristic 2, *Mathematics and Education in Mathematics*, pp. 227-230, 1994.

1. (1) P. Kazakov, Software system GFQ - conceptions and realization, *Proc. Fifth Internat. Workshop on Algebraic and Combinatorial Coding Theory*, Sozopol, pp. 157-160, 1996.
2. (2) Ст. Капралов, *Граници, конструкции и класификация на оптимални кодове*, Дисертация за присъждане на научната степен 'Доктор на математическите науки', 2004.

\* \* \*

✓ Ц. Байчева и К. Манев, Намиране на линейна обвивка на множество вектори над крайно поле с характеристика различна от 2, *Математика и Математическо Образование*, стр. 313-318, 1994.

3. (1) Ст. Капралов, *Граници, конструкции и класификация на оптимални кодове*, Дисертация за присъждане на научната степен 'Доктор на математическите науки', 2004.
4. (2) И. Буюклиев, *Алгоритмични подходи за изследване на линейни кодове*, Дисертация за присъждане на научната степен 'Доктор на математическите науки', 2007.
5. (3) I. Bouyukliev and V. Bakoev, Efficient computing of some vector operations over  $GF(3)$  and  $GF(4)$ , *Serdica Journal of Computing*, **2**, pp. 137-144, 2008.

\* \* \*

✓ Т. Baicheva, Covering radius of ternary cyclic codes with length up to 20, *Proc. of the International Workshop on Algebraic and Combinatorial Coding Theory*, Novgorod, Russia, pp. 12-17, 1994.

6. (1) A. A. Davidov, On nonbinary linear codes with covering radius two, *Proc. Fifth Internat. Workshop on Algebraic and Combinatorial Coding Theory*, Sozopol, pp. 105-110, 1996.

7. (2) G. Cohen, I. Honkala, S. Litsyn and A. Lobstein, *Covering Codes*, North-Holland, Elsevier Science B.V., 1997.

\* \* \*

✓ T. Baicheva, Least covering radius of two-dimensional codes over  $\text{GF}(3)$  and  $\text{GF}(4)$ , Proc. of the International Workshop on Optimal Codes, Sozopol, Bulgaria, pp. 7-10, 1995.

8. (1) G. Cohen, I. Honkala, S. Litsyn and A. Lobstein, *Covering Codes*, North-Holland, Elsevier Science B.V., 1997.

\* \* \*

✓ T. Baicheva and E. Velikova, Least covering radius of three-dimensional codes over  $\text{GF}(3)$ , Mathematics and Education in Mathematics, pp. 68-71, 1996.

9. (1) G. Cohen, I. Honkala, S. Litsyn and A. Lobstein, *Covering Codes*, North-Holland, Elsevier Science B.V., 1997.

\* \* \*

✓ T. Baicheva, Least covering radii of ternary linear codes, Proc. of the International Workshop on Algebraic and Combinatorial Coding Theory, Sozopol, Bulgaria, pp. 20-24, 1996.

10. (1) G. Cohen, I. Honkala, S. Litsyn and A. Lobstein, *Covering Codes*, North-Holland, Elsevier Science B.V., 1997.

\* \* \*

✓ T. Baicheva and E. Velikova, Covering radii of ternary linear codes of small dimensions and codimensions, IEEE Trans. Inform. Theory, vol. 43, pp. 2057-2061, 1997.

11. (1) G. Cohen, I. Honkala, S. Litsyn and A. Lobstein, *Covering Codes*, North-Holland, Elsevier Science B.V., 1997.
12. (2) A. A. Davidov and P. R. J. Östergård, On saturating sets in small projective geometries, *European Journal of Combinatorics*, 21(5), 2000, pp. 563-570.
13. (3) A. A. Davidov and P. R. J. Östergård, Recursive constructions of complete caps, *Journal of Statistical Planning and Inference*, 95 (1-2), 2001, pp. 167-173.
14. (4) A. A. Davidov and P. R. J. Östergård, Linear Codes with Covering Radius  $R = 2, 3$  and Codimension  $tR$ , *IEEE Trans. Inform Theory*, vol. 47, No. 1, 2001, pp. 413-416.

15. (5) P. R. J. Östergård, Classifying subspaces of Hamming spaces, *Designs, Codes and Cryptography*, 27, 2002, pp. 297-305.
16. (6) A. A. Davydov, S. Marcugini and F. Pambianco, Linear codes with covering radius 2,3 and saturating sets in projective geometry, *IEEE Trans. Inform Theory*, vol. 50, No. 3, 2004, pp. 537-541.
17. (7) A.A. Davydov, M. Giulietti, S. Marcugini, F. Pambianco, Linear covering codes of radius 2 and 3, *Proc. Workshop Coding Theory Days in St. Petersburg*, St. Petersburg, Russia, 2008, pp. 12-17.
18. (8) A. A. Davydov and P. R. J. Östergård, Linear codes with covering radius 3, *Designs Codes Cryptography*, vol. 54, 2010, pp. 253-271. DOI 10.1007/s10623-009-9322-y
19. (9) A. A. Davydov, M. Giulietti, S. Marcugini and F. Pambianco, Linear nonbinary covering codes and saturating sets in projective spaces, *Advances in Mathematics of Communications*, vol. 5, issue 2, 2011, pp. 119-147.

\* \* \*

✓ T. Baicheva, The covering radius of ternary cyclic codes with length up to 25, *Designs, Codes and Cryptography*, vol.13, pp. 223-227, 1998. IF 0.618

20. (1) G. Cohen, I. Honkala, S. Litsyn and A. Lobstein, *Covering Codes*, North-Holland, Elsevier Science B.V., 1997., Updated July 12, 2010 list with bibliography at <http://www.infres.telecom-paristech.fr/lobstein/biblio.html>.
21. (2) E. Velikova and A. Bojilov, On the weight distribution of the coset leaders of cyclic codes, *Proc. of the Workshop Optimal Codes and Related Topics*, Pamporovo, Bulgaria, pp. 269-274, 2005.
22. (3) E. Velikova, The weight distribution of the cosets leaders of ternary cyclic codes with generator polynomial of small degree, *Annuaire de L'Université de Sofia 'St. Kl. Ohridski*, vol. 97, pp. 109-114, 2005.

\* \* \*

✓ T. Baicheva, S. Dodunekov and P.Kazakov, On the cyclic redundancy-check codes with 8 bit redundancy, *Computer Communications*, v. 21, 1998, pp. 1030-1033. IF 0.167

23. (1) R. Dodunekova, *On the binomial moments of linear codes and undetected error probability*, Preprint 2002:49, Chalmers University of Technology, 14 p.
24. (2) R. Dodunekova, The duals of MMD codes are proper for error detection. *IEEE Trans. Inform. Theory*, vol.49, No.8, 2003, pp. 2034-2038.

25. (3) R. Dodunekova, The extended binomial moments of a linear code and the undetected error probability, *Problems of Information Transmission*, v.39, No.3, 2003, pp.255-265.
26. (4) Performance analysis on extended-shortened codes. *J. of Chongqing university of posts and telecommunications (natural sciences)*, V.16, No.3, 2004, pp.115-117.
27. (5) Performance analysis and study on linear extended shortened codes. *Management & control technology*, V.23, No.9, 2004, pp.64-66.
28. (6) P. Koopman and T. Chakravarty, Cyclic Redundancy Check (CRC) Polynomial Selection for Embedded Networks, *Proc. of the International Conference on Dependable Systems and Networks*, DSN-2004, pp.145-154.
29. (7) P. Q. Zhou, X. Wang and H. Ge, Performance analysis and study on linear extended shortened codes, *Xibei Gongye Daxue Xuebao/Journal of Northwestern Polytechnical University*, 22(5), 2004, pp.640-643.
30. (8) F. Worm, P. Ienne and P. Thiran, Soft self-synchronizing codes for self-calibrating communication, *IEEE/ACM International Conference on Computer-Aided Design, Digest of Technical Papers, ICCAD*, 2004, pp.440-447.
31. (9) E. Nikolova, *Подходящи кодове за откриване на грешки*, Дисертация за присъждане на научната степен 'Доктор', 2005.
32. (10) R. Dodunekova, O. Rabaste and J.L.V. Páez, Error detection with a class of irreducible binary cyclic codes and their dual codes, *IEEE Trans. on Inform. Theory*, vol. 51, No. 4, pp. 1206-1209, 2005.
33. (11) A. Youssef, *Reseau de communication a haut niveau d'integrite*, PhD Thesis No. 2292, 2005, INPT, France.
34. (12) F. Worm, *Robust checkers for self-calibrating designs*, PhD Thesis No. 3647, 2006, Lausanne, EPFL.
35. (13) T.C. Maxino, *The effectiveness of checksums for embedded networks*, MS Thesis, Carnegie Melon University, Pttsburg, USA, May, 2006.
36. (14) Z. Zhi, J. B. Tan, H. D. Huang and F. F. Chen, Algorithms for high-speed generating CRC error detection coding in separated ultra-precision measurement, *Journal of Physics: Conference Series*, 48, pp. 228-232, 2006.
37. (15) Файза А. Р. Салам Муджахед, *Предизвикателства към сигурността в информационна система, базирана на УЕВ технологиите*, Дисертация за присъждане на научната степен 'Доктор', ИМИ-БАН, 2007.
38. (16) T. Klove, Codes for error detection, Series on Coding Theory and Cryptology, vol 2., World Scientific, 2007.

39. (17) T. Mattes, F. Schiller, A. Mürwald, J. Pfahler and T. Honold, Safety proof of Combinations of CRC for Industrial Communication, *Journal of Applied Computer Science*, Vol. 16. No 1, 2008, pp. 15-32.
40. (18) F. Schiller, T. Mattes, Analysis of nested CRC with additional net data by means of stochastic automata for safety-critical communication, *Proc. of IEEE International Workshop on Factory Communication Systems*, Dresden, 21-23 May 2008, Article number 4638714, Pages 295-304.
41. (19) T. Maxino and P. Koopman, The effectiveness of checksums for embedded control networks, *IEEE Trans. on Dependable and Secure computing*, vol. 6, No. 1, pp. 59-72, 2009.

\* \* \*

- ✓ T. Baicheva and E. Kolev, Binary codes of length eight, minimum distance three and twenty codewords, *Proc. of the International Workshop on Optimal Codes*, Sozopol, Bulgaria, pp. 5-8, 1998.
42. (1) P. Kaski and P. R. J. "Ostergård, *Classification Algorithms for Codes and Designs*, Springer Verlag, 2006.
43. (2) D. Krotov, P. R. J. "Ostergård and O. Pottonen, Optimal binary one-error-correcting codes of lengths  $2^m - 4$  and  $2^m - 3$ , *IEEE Trans. On Inform. Theory*, vol. 57, 2011, pp. 6771-6779.

\* \* \*

- ✓ T. Baicheva, S. Dodunekov and P. Kazakov, On the cyclic redundancy-check codes with 16 bit redundancy, *Proc. VI Intern. Workshop ACCT*, Pskov, Russia, Sept. 6-12, 1998, pp. 17-21.
44. (1) R. Dodunekova, *On the binomial moments of linear codes and undetected error probability*, Preprint 2002:49, Chalmers University of Technology, 14 p.
45. (2) R. Dodunekova, The duals of MMD codes are proper for error detection. *IEEE Trans. Inform. Theory*, vol.49, No.8, 2003, pp. 2034-2038.
46. (3) R. Dodunekova, The extended binomial moments of a linear code and the undetected error probability, *Problems of Information Transmission*, v.39, No.3, 2003, pp.255-265.
47. (4) E. Nikolova, *Подходящи кодове за откриване на грешки*, Дисертация за присъждане на научната степен 'Доктор', 2005.

\* \* \*

✓ T. Baicheva, S. Dodunekov and P.Kazakov, On the error detection performance of some standardized CRC codes, *Proc. of the National Conference with foreign participation TELECOM'98*, St. Constantine, Bulgaria, pp.66-72, 1998.

48. (1) R. Dodunekova, On the binomial moments of linear codes and undetected error probability. Preprint 2002:49, Chalmers University of Technology, 14 p.
49. (2) R. Dodunekova, The duals of MMD codes are proper for error detection. *IEEE Trans. Inform. Theory*, vol.49, No.8, 2003, pp. 2034-2038.
50. (3) R. Dodunekova, The extended binomial moments of a linear code and the undetected error probability, *Problems of Information Transmission*, v.39, No.3, 2003, pp.255-265.
51. (4) E. Nikolova, *Подходящи кодове за откриване на грешки*, Дисертация за присъждане на научната степен 'Доктор', 2005.

\* \* \*

✓ P. R. J. Östergård, T. Baicheva and E. Kolev, Optimal binary one-error-correcting codes of length 10 have 72 codewords, *IEEE Trans. Inform. Theory*, vol. 45, No. 4, pp. 1229-1231, 1999. IF 2.009

52. (1) J. H. Conway, N. J. A. Sloane, *Sphere Packings, Lattices and Groups*, Springer Verlag, 1998.
53. (2) P. Simons, Extending the stable model semantics with more expressive rules, *Lecture Notes In Computer Science*, Vol. 1730, pp. 305 - 316, 1999
54. (3) P. Simons, Extending the stable model semantics with more expressive rule, *Logic Programming and Nonmonotonic Reasoning Lecture Notes in Computer Science*, 1999, Volume 1730, 1999, pp. 305-316. DOI: 10.1007/3-540-46767-X<sub>2</sub>2
55. (4) Г. Богданова, *Граници за оптимални кодове*, Докторска дисертация 2000.
56. (5) P. Simons, *Extending and implementing the stable model semantics*, Research Report 58, Helsinki University of Technology, Helsinki, Finland, 2000.
57. (6) K. Kapralov, Optimal quaternary two-error-correcting codes of length 7 have 32 codewords, *Mathematics and Education in Mathematics*, pp. 179-183, 2000.
58. (7) G. Bogdanova and S. Kapralov, Bounds for codes over small alphabets, *Mathematics and Education in Mathematics*, pp. 149-154, 2000.
59. (8) K. Kapralov, The nonexistence of ternary (10,15,7) codes, *Proc. of International Workshop on Algebraic and Combinatorial Coding Theory*, Bansko, Bulgaria, pp. 189-192, 2000.

60. (9) P. Simons, *Extending and implementing the stable model semantics*, Dissertation of the degree Doctor of Technology, Helsinki University of Technology, 2000.
61. (10) E. Agrell, A. Vardy and K. Zeger, A table of upper bounds for binary codes, *IEEE Trans. on Inform. Theory*, vol.47, pp. 3004-3006, 2001.
62. (11) Petteri Kaski, Isomorph-free exhaustive generation of combinatorial designs, *Research Report A70*, Helsinki University of Technology, Laboratory for Theoretical Computer Science, Espoo, Finland, December 2001.
63. (12) I. Bouyukliev, Maximal cliques in graphs and some new upper bounds for constant-weight codes, *Proc. of International Workshop on Groups and Graphs*, Varna, Bulgaria, pp. 19-22, 2002.
64. (13) M. Letourneau and S. Houghten, *Optimal Ternary (10, 7) Codes*, Technical Report # CS-02-10, Department of Computer Science, Brock University, St. Catharines, Ontario, Canada, May, 2002.
65. (14) M. Letourneau and S. Houghten, *Optimal Ternary (11, 7) and (14, 10) Codes*, Technical Report # CS-02-20, Department of Computer Science, Brock University, St. Catharines, Ontario, Canada, September, 2002.
66. (15) A. Trachtenberg and A. Vardy, Full-rank tilings of  $F_2^8$  do not exist, *SIAM Journal of Discrete Mathematics*, 16(3), pp. 390-392, 2003.
67. (16) Ст. Капралов, *Граници, конструкции и класификация на оптимални кодове*, Дисертация за присъждане на научната степен 'Доктор на математическите науки', 2004.
68. (17) Juergen Bierbrauer, *Introduction to Coding Theory*, Publisher: Chapman&Hall/CRC, 2004.
69. (18) S.K. Houghten, D. Ashlock and J. Lennarz Bounds on Optimal Edit Metric Codes, *Technical Report # CS-05-07*, Brock University, July, 2005.
70. (19) Petteri Kaski, *Algorithms for Classification of Combinatorial Objects*, Ph. D. Helsinki University of Technology, June 2005.
71. (20) Bojja Neelima and Rahman Syed Mustafizur, *Upper bounds for block codes*, Master's Thesis, Department of Signals and Systems, Chalmers University of Technology, G t teborg, Sweden, 2005 (Report Number EX037/2005).
72. (21) S.K. Houghten, D. Ashlock and J. Lennarz Construction of Optimal Edit Metric Codes, *IEEE Information Theory Workshop*, Chengdu, 22-26 Oct. 2006, pp. 259-263. ISBN: 1-4244-0067-8
73. (22) Jay Baga, Adrian Heinz and Mahbubul Majumder, An Algorithm for Graceful Labelings of Cycles, *Congressus Numerantium*, 186 (2007), pp. 57-63.

74. (23) M. Ghebleh, L. A. Goddyn, E. S. Mahmoodian and M. Verdian-Rizi, Silver Cubes, *Graphs and Combinatorics*, vol. 24, No 5, 2008, pp. 429-442,
75. (24) J. Rix, *Hypercube coloring and the structure of binary codes*, Master's Thesis, The University Of British Columbia, July 2008.
76. (25) Jacqueline Smith and D. Chris Rayner, Search Enhancements for  $A(n, d)$ , *CMPUT 674 Project Report*, December 10, 2008.
77. (26) I. Chuang, A. Cross, G. Smith, J. Smolin and Bei Zeng, Codeword stabilized quantum codes: Algorithm and structure, *Journal of Math. Phys.* vo. 50, Issue 4, 2009.
78. (27) Bei Zeng, *Quantum operations and codes beyond the Stabilizer-Clifford framework*, Ph. D. Thesis, Massachusetts Institute of Technology, 2009.
79. (28) Olli Pottonen, *Perfect Binary Codes: Classification and Properties*, Ph. D. Helsinki University of Technology, 2009.
80. (29) Nicolas Bitouze, Alexandre Graell I Amat, Eirik Rosnes, Error Correcting Coding for a Non-symmetric Ternary Channel, *IEEE Trans. Inform. Theory*, vol. 56, issue 11, November 2010, pp. 5715 - 5729.
81. (30) David Brink, The inverse football pool problem, *Journal of Integer Sequences*, vol. 14, 2011, Article 11.8.8.
82. (31) Marcus Greferath and Jens Zumbärgel, On the algebraic representation of selected optimal non-linear binary codes, arXiv:1109.4770v2, February, 2012.

\* \* \*

- ✓ T. Baicheva, S. Dodunekov and P. Kazakov, Undetected error probability performance of cyclic redundancy-check codes of 16-bit redundancy, *IEE Proc. Commun.*, vol.147, No.5, October 2000, pp.253-256. IF 0.226
83. (1) D. Sheinwall, J. Satran, P. Thaler, V. Cavanna, Internet Protocol Small Computer System Interface (iSCSI) Cyclic Redundancy Check (CRC) Checksum Considerations. RFC-3385, Sept. 2002, *The Internet Society*, <ftp://ftp.isi.edu/in-notes/rfc3385.txt>.
  84. (2) F. Zhai, I.J. Fair. Efficient cyclic redundancy checks for turbo-coding, *Proc. Wireless and optical communications*, WOC 2002, Banff, Canada, pp. 356-196.
  85. (3) *CRC Polynomials and Flex Ray*, Seoul National University, 2002, Thesis.
  86. (4) R. Dodunekova, On the binomial moments of linear codes and undetected error probability. Preprint 2002:49, Chalmers University of Technology, 14 p.
  87. (5) R. Dodunekova, The duals of MMD codes are proper for error detection. *IEEE Trans. Inform. Theory*, vol.49, No.8, 2003, pp. 2034-2038.



88. (6) R. Dodunekova, The extended binomial moments of a linear code and the undetected error probability, *Problems of Information Transmission*, v.39, No.3, 2003, pp.255-265.
89. (7) A. Youssef, A. de Bonneval, Y. Couzet, Dependability of Communications in Critical Real-Time Control Systems, *8-th CaberNet Radicals Workshop*, Ajaccio, Corsica, 5-8 October, 2003.
90. (8) A. Youssef, *Systeme de commande de vouldufutur: nouvelle architecture de communication*, Thesis, LAAS-CNRS, Groupe TSF 7, Toulouse, France, 2003.
91. (9) F. Zhai and I.J. Fair, Techniques for early stopping and error detection in turbo decoding, *IEEE Transactions on Communications*, 51 (10), 2003, pp.2034-2038.
92. (10) P. Koopman, T. Chakravarty, Cyclic Redundancy Check (CRC) Polynomial Selection for Embedded Networks, *Proc. The International Conference on Dependable Systems and Networks*, DSN-2004.
93. (11) M.M. Carvalho and J.J. Garcia-Luna-Aceves, Modeling single-hop wireless networks under Rician fading channels, *2004 IEEE Wireless Communications and Networking Conference*, WCNC 2004, 1, pp.219-224.
94. (12) E. Nikolova, *Подходящи кодове за откриване на грешки*, Дисертация за присъждане на научната степен 'Доктор', 2005.
95. (13) A. Youssef, *Reseau de communication a haut niveau d'integrite*, PhD Thesis No. 2292, 2005, INPT, France.
96. (14) R. Dodunekova, O. Rabaste and J.L.V. Páez, Error detection with a class of irreducible binary cyclic codes and their dual codes, *IEEE Trans. on Inform. Theory*, vol. 51, No. 4, pp. 1206-1209, 2005.
97. (15) J. Zhao, F. Zarkeshvari and A.H. Banihashemi, On implementation of min-sum algorithm and its modifications for decoding low-density Parity-check (LDPC) codes, *IEEE Transactions on Communications*, vol. 53, Issue 4, April 2005, pp. 549 - 554. ISSN: 0090-6778
98. (16) T.C. Maxino, *The effectiveness of checksums for embedded networks*, MS Thesis, Carnegie Mellon University, Ptttsburg, USA, May, 2006.
99. (17) S. Huettinger, Low-complexity short-length error detecting codes, *Proc. of the International Workshop on Algebraic and Combinatorial Coding Theory*, Zvenigorod, Russia, pp. 118-121, 2006.
100. (18) M.M. de Carvahlo, *Analytical modeling of medium access control protocols in wireless networks*, PhD Thesis, Univ.of California Santa Cruz, March 2006.
101. (19) C. Nguyen and G. R. Redinbo, Detecting computer-induced errors in remote-sensing JPEG compression algorithms, *IEEE Transactions on Image Processing*, Vol. 15, Issue 7, July 2006, pp. 1728-1739. ISSN: 1057-7149

102. (20) J. Börcsök, J. Hölzel and H. D. Wacker, Probability of Undetected Error with Redundant Data Transmission on a Binary Symmetric Channel without Memory, *Proceedings of the 6th WSEAS International Conference on Applied Computer Science*, Tenerife, Canary Islands, Spain, December 16-18, 2006, pp. 103-106.
103. (21) Файза А. Р. Салам Муджахед, *Предизвикателства към сигурността в информационна система, базирана на УЕВ технологиите*, Дисертация за присъждане на научната степен 'Доктор', ИМИ-БАН, 2007.
104. (22) T. Klove, Codes for error detection, Series on Coding Theory and Cryptology, vol 2., World Scientific, 2007.
105. (23) Ph. Golden, H. Dedieu, K. Jacobsen, *Implementation and Applications of DSL Technology*, CRC Press, 2007.
106. (24) H. D. Wacker and J. Boercsoek, Some inequalities concerning binomial coefficients and the weight distribution of proper linear codes, *Proceedings of the 7th Conference on 7th WSEAS International Conference on Applied Computer Science - Volume 7*, Venice, Italy pp. 43-48, 2007. ISBN ISSN:1750-5117 , 978-960-6766-18-3
107. (25) N. Kaabouch, A. Dhirde, S. Faruque, Improvement of the orthogonal code convolution capabilities using FPGA implementation, *IEEE International Conference on Electro/Information Technology*, Chicago, IL, 17-20 May 2007, pp. 337 - 341. ISBN: 978-1-4244-0941-9
108. (26) A. Wang and N. Kaabouch, FPGA based design of a novel enhanced error detection and correction technique, *IEEE International Conference on Electro/Information Technology*, Ames, IA, 18-20 May 2008, pp. 25 - 29. ISBN: 978-1-4244-2029-2
109. (27) H. D. Wacker and J. Boercsoek, Binomial and monotonic behaviour of the probability of undetected error and the  $2^{-r}$ -bound, *WSEAS Transactions on Communications*, vol. 7, March 2008, pp. 188-197. ISSN: 1109-2742
110. (28) H. D. Wacker and J. Boercsoek, The Dual Distance of a CRC and Bounds on the Probability of Undetected Error, the Weight Distribution, and the Covering Radius, *WSEAS Transactions on Communications*, vol. 7, April 2008, pp. 188-197. ISSN: 1109-2742
111. (29) F. Schiller and T. Mattes, Analysis of nested CRC with additional net data by means of stochastic automata for safety-critical communication, *IEEE International Workshop on Factory Communication Systems*, 21-23 May, 2008, pp. 295 - 304
112. (29) T. Maxino and P. Koopman, The effectiveness of checksums for embedded control networks, *IEEE Trans. on Dependable and Secure computing*, vol. 6, No. 1, pp. 59-72, 2009.
113. (30) Damien O'Rourke, Practical packet combining for use with cooperative and non-cooperative ARQ schemes in wireless sensor networks, PhD thesis, Dublin City University, 2009.

114. (31) Pavan Kumar Pendli, Michael Schwarz, Hans Dieter Wacker and Josef Boercsoek, Bluetooth for Safety Systems, *ISSC 2011*, Trinity College Dublin, June 23-24, 2011.
115. (32) Damien O'Rourkea and Conor Brennanb, Practical packet combining for use with cooperative and non-cooperative ARQ schemes in resource-constrained wireless sensor networks, *Ad Hoc Networks*, Volume 10, Issue 3, May 2012, Pages 339–355.

\* \* \*

✓ T. Baicheva, Binary and ternary linear codes which are good and proper for error correction, *Proc. 7th Intern. Workshop on Algebraic and Combinatorial Coding Theory*, Bansko, Bulgaria, pp. 55-60, 2000.

116. (1) E. Nikolova, *Подходящи кодове за откриване на грешки*, Дисертация за присъждане на научната степен 'Доктор', 2005.
117. (2) R. Dodunekova, S.M. Dodunekov and E. Nikolova, A survey on proper codes, *Discrete Applied Mathematics*, Volume 156, Issue 9, 1 May 2008, pp. 1499-1509. doi:10.1016/j.dam.2005.06.014

\* \* \*

✓ T. Baicheva, On the covering radius of ternary negacyclic codes with length up to 26, *IEEE Trans. on Inform. Theory*, vol. 47, No. 1, pp. 413-416, 2001. IF 2.077

118. (1) G. Cohen, I. Honkala, S. Litsyn and A. Lobstein, *Covering Codes*, North-Holland, Elsevier Science B.V., 1997, Updated July 12, 2010 list with bibliography at <http://www.infres.telecom-paristech.fr/~lobstein/biblio.html>.
119. (2) E. Velikova, The weight distribution of the cosets leaders of ternary cyclic codes with generator polynomial of small degree, *Annuaire de L'Université de Sofia 'St. Kl. Ohridski'*, vol. 97, pp. 109-114, 2005.
120. (3) A. A. Davydov, M. Giulietti, S. Marcugini and F. Pambianco, Linear nonbinary covering codes and saturating sets in projective spaces, *Advances in Mathematics of Communications*, vol. 5, issue 2, 2011, pp. 119-147.

\* \* \*

✓ T. Baicheva, S. Dodunekov and R. Koetter, On the performance of the ternary [13,7,5] quadratic residue code, *IEEE Trans. on Inform. Theory*, vol. 48, No. 2, pp. 562-564, 2002. IF 2.045

121. (1) E. Nikolova, *Подходящи кодове за откриване на грешки*, Дисертация за присъждане на научната степен 'Доктор', 2005.

122. (2) R. Dodunekova, O. Rabaste and J.L.V. Páez, Error detection with a class of irreducible binary cyclic codes and their dual codes, *IEEE Trans. on Inform. Theory*, vol. 51, No. 4, pp. 1206-1209, 2005.
123. (3) T. Klove, *Codes for error detection*, Series on Coding Theory and Cryptology, vol 2., World Scientific, 2007.
124. (4) H. P. Lee, H. Y. Chen and H.C. Chang, A Method for Decoding the (24, 15, 5) Cyclic Code, *Third International Conference on Intelligent Information Hiding and Multimedia Signal Processing*, Kaohsiung, 26-28 Nov. 2007, pp. 391-394. ISBN: 978-0-7695-2994-1

\* \* \*

- ✓ T. Baicheva and V. Varek, On the least covering radius of binary linear codes with small lengths, *IEEE Trans. on Inform. Theory*, vol. 49, No. 3, pp. 738-740, 2003. IF 2.245
125. (1) G. Cohen, I. Honkala, S. Litsyn and A. Lobstein, *Covering Codes*, North-Holland, Elsevier Science B.V., 1997., Updated July 12, 2010 list with bibliography at <http://www.infres.telecom-paristech.fr/~lobstein/biblio.html>.
  126. (2) И. Буюклиев, *Алгоритмични подходи за изследване на линейни кодове*, Дисертация за присъждане на научната степен 'Доктор на математическите науки', 2007.
  127. (3) Li Ping, Zhu Shi-xin, Yu Hai-feng, Covering radius of codes over ring  $F_2 + uF_2$ , *Journal of University of Science and Technology of China*, 38(2), 2008.

\* \* \*

- ✓ T. Baicheva, I. Boyukliev, S. Dodunekov and W. Willems, On Reed-Solomon and Glynn  $[10, 5, 6]_9$  codes, *Mathematica Balkanica*, New Series vol. 18, pp. 67-78, 2004.
128. (1) T. A. Gulliver, K. Jon-Lark Kim and Y. Lee, New MDS or Near-MDS Self-Dual Codes, *IEEE Transactions on Inform. Theory*, vol. 54, Issue 9, Sept. 2008, pp. 4354-4360. ISSN: 0018-9448

\* \* \*

- ✓ T. Baicheva, I. Boyukliev, S. Dodunekov and W. Willems, Teaching linear codes, *Mathematica Balkanica*, New Series vol. 19, pp. 3-16, 2005.
129. (1) A. Faldum, On the trustworthiness of error-correcting codes, *IEEE Trans. Inform. Theory*, v.53, No.12, 2007, pp. 4777 - 4784.
  130. (2) R. Jurrius and R Pellikaan, Extended and Generalized Weight Enumerators, *Proceedings of the International Workshop on Coding and Cryptography*, WCC 2009, Ullensvang, May 10-15, Selmer Center, Bergen, pp. 76-91, 2009.

131. (3) R. Jurrius and R. Pellikaan, The extended coset leader weight enumerator, *Proceedings 30th Symposium on Information Theory on the Benelux*, May 28-29, pp. 217-224, 2009.

\* \* \*

✓ T. Baicheva, I. Bouyukliev, S. Dodunekov, and V. Fack, Binary and Ternary Quasi-perfect Codes with Small Dimensions, *IEEE Trans. on Inform. Theory*, vol. 54, issue 9, pp. 4335-4339, 2008. IF 3.793

132. (1) G. Cohen, I. Honkala, S. Litsyn and A. Lobstein, *Covering Codes*, North-Holland, Elsevier Science B.V., 1997., Updated July 12, 2010 list with bibliography at <http://www.infres.telecom-paristech.fr/lobstein/biblio.html>.
133. (2) Foto N. Afrati, Anish Das Sarma, David Menestrina, Aditya Parameswaran, Jeffrey D. Ullman, Fuzzy Joins Using MapReduce, *Technical Report. Stanford InfoLab*, July 2011. Foto

\* \* \*

✓ T. Baicheva, Determination of the best CRC codes with up to 10-bit redundancy, *IEEE Trans on Commun.*, vol. 56, issue 8, pp. 1214-1220, 2008. IF 2.07

134. (1) T. Zhu, Z. Zhong, J. Zhang, A quick coding method based on dynamic table look-up for arbitrary bit length polynomial division in embedded system, *7th International Conference on Networked Computing and Advanced Information Management*, NCM 2011; Gyeongju; 21-23 June 2011, Category number CFP1162E-PRT; Code 86207
135. (2) E. Üstünel, I. Hökelek, O. Ileri, H. Arslan, Joint optimum message length and generator polynomial selection in Cyclic Redundancy Check (CRC) coding, *2011 IEEE 19th Signal Processing and Communications Applications Conference*, SIU 2011; Antalya; 20-22 April 2011, Category number CFP11559-ART; Code 85528

\* \* \*

✓ T. Baicheva and I. Bouyukliev, On the least covering radius of the binary linear codes of dimension 6, *Advances in Mathematics of Communications*, vol. 4, No 3, August, 2010, pp. 399-403. IF 0.544

136. (1) G. Cohen, I. Honkala, S. Litsyn and A. Lobstein, *Covering Codes*, North-Holland, Elsevier Science B.V., 1997, Updated November 29, 2011 list with bibliography at <http://www.infres.telecom-paristech.fr/lobstein/biblio.html>.

\* \* \*

✓ T. Baicheva and S. Topalova, Optimal  $(v, 4, 2, 1)$  optical orthogonal codes with small parameters, *Journal of Combinatorial Designs*, 20 (2), 2012, pp. 142-160. IF 0.662

137. (1) X. Wang and Y. Chang, Further results on optimal  $(v, 4, 2, 1)$ -OOCs, *Discrete Mathematics*, volume 312, issue 2, pp. 331 - 340, 2012.
138. (2) M. Buratti, A. Pasotti and D. Wu, On optimal  $(v, 5, 2, 1)$  optical orthogonal codes, to appear in *Design Codes and Cryptography*, DOI 10.1007/s10623-012-9654-x

\* \* \*

✓ T. Baicheva, All binary linear codes of lengths up to 18 or redundancy up to 10 are normal, *Advances in Mathematics of Communications*, vol. 5, No 4, November 2011, pp. 681-686. IF 0.544 за 2010

139. (1) G. Cohen, I. Honkala, S. Litsyn and A. Lobstein, *Covering Codes*, North-Holland, Elsevier Science B.V., 1997, Updated November 29, 2011 list with bibliography at <http://www.infres.telecom-paristech.fr/lobstein/biblio.html>.

\* \* \*

- **h-index (Hirsh index): 6**
- **g-index (Egghe index): 11**