

Reducing Validity in Epistemic ATL to Validity in Epistemic CTL

Dimitar P. Guelev

Institute of Mathematics and Informatics
Bulgarian Academy of Sciences
Sofia, Bulgaria
gelevdp@math.bas.bg

We propose a validity preserving translation from a subset of epistemic Alternating-time Temporal Logic (*ATL*) to epistemic Computation Tree Logic (*CTL*). The considered subset of epistemic *ATL* is known to have the finite model property and decidable model-checking. This entails the decidability of validity but the implied algorithm is unfeasible. Reducing the validity problem to that in a corresponding system of *CTL* makes the techniques for automated deduction for that logic available for the handling of the apparently more complex system of *ATL*.

Introduction

The strategic cooperation modalities of *alternating time temporal logic* (*ATL*, [AHK97, AHK02]) generalize the path quantifier \forall of *computation tree logic* (*CTL*). Combinations of *ATL* with modal logics of knowledge [vdHW03, JvdH04] extend temporal logics of knowledge (cf. e.g. [FHMV95]) in the way *ATL* extends *CTL*. Automated deduction for *CTL* and linear time epistemic temporal logics has been studied extensively [FDP01, BDF99, GS09a, GS09b]. There is much less work on the topic for *ATL*, and hardly any for its epistemic extensions. The decidability of validity in *ATL* with complete information was established in [GvD06] as a consequence of the *finite model property*, where the completeness of a Hilbert-style proof system was given too. Hilbert-style proof systems are known to be unsuitable for automating proof search. The situation was remedied by a tableau-based decision procedure developed in [GS09c]. Along with that, the same authors developed tableau systems for branching epistemic temporal logics in [GS09b]. Temporal resolution (cf. e.g. [FDP01]), which is well understood for linear time logics and their epistemic extensions, was considered for *ATL* in [Zha10], but only for the $\langle\langle.\rangle\rangle_0$ -subset, which is similar to *coalition logic* [Pau02] and enables only reasoning about a fixed number of steps. To our knowledge, no similar work has been done for systems epistemic *ATL*.

In this paper we continue the study [GDE11] of a system of *ATL* with the operator of distributed knowledge under the perfect recall assumption. In [GDE11] we established the finite model property for a subset, and a model-checking algorithm for the whole system. That algorithm assumed that coalition members can use the distributed knowledge of their coalitions to guide their actions. Dropping that assumption is known to render model-checking undecidable [DT11]. As expected, the validity-checking algorithm which these results imply is unfeasible.

In this paper we propose a validity preserving translation from another subset of that logic into epistemic *CTL*, with distributed knowledge and perfect recall again. As it becomes clear below, the need to consider a subset appears to be due to the lack of connectives in epistemic *CTL* to capture some interactions between knowledge and the progress of time. The translation makes no assumption on coordination within coalitions and there is no dependence on the availability of the past temporal modalities which

are featured in the axiomatization from [GDE11]. A semantic assumption that we keep is *finite branching*: only finitely many states should be reachable in one step from any state and models should have only finitely many initial states. Dropping that assumption would disable the fixpoint characterization of $(.U.)$ -objectives that we exploit, because of the requirement on strategies to be uniform. The translation enables the use of the known techniques for mechanized proof in the apparently simpler logic *CTL* and its epistemic extensions [BF99, GS09b]. Building on our previous work [GDE11], we work with the semantics of *ATL* on *interpreted systems* in their form adopted in [LR06].

1 Preliminaries

1.1 Propositional epistemic ATL with perfect recall (ATL_{iR}^D)

The syntax of ATL_{iR}^D formulas can be given by the BNF

$$\varphi, \psi ::= \perp \mid p \mid (\varphi \Rightarrow \psi) \mid D_{\Gamma}\varphi \mid \langle\langle\Gamma\rangle\rangle\circ\varphi \mid \langle\langle\Gamma\rangle\rangle(\varphi U \psi) \mid [\Gamma](\varphi U \psi)$$

Here Γ ranges over finite sets of agents, and p ranges over propositional variables. In this paper we exclude the past temporal operators as their presence does not affect the working of our translation.

An *interpreted system* is defined with respect to some given finite set $\Sigma = \{1, \dots, N\}$ of *agents*, and a set of *propositional variables* (*atomic propositions*) AP . There is also an *environment* $e \notin \Sigma$; in the sequel we write Σ_e for $\Sigma \cup \{e\}$.

Definition 1 (interpreted systems) An *interpreted system* for Σ and AP is a tuple of the form

$$\langle\langle L_i : i \in \Sigma_e \rangle, I, \langle Act_i : i \in \Sigma_e \rangle, t, V \rangle \quad (1)$$

where:

$L_i, i \in \Sigma_e$, are nonempty sets of *local states*; L_{Γ} stands for $\prod_{i \in \Gamma} L_i, \Gamma \subseteq \Sigma_e$;

elements of L_{Σ_e} are called *global states*;

$I \subseteq L_{\Sigma_e}$ is a nonempty set of *initial global states*;

$Act_i, i \in \Sigma_e$, are nonempty sets of *actions*; Act_{Γ} stands for $\prod_{i \in \Gamma} Act_i$;

$t : L_{\Sigma_e} \times Act_{\Sigma_e} \rightarrow L_{\Sigma_e}$ is a *transition function*;

$V \subseteq L_{\Sigma_e} \times AP$ is a valuation of the atomic propositions.

For every $i \in \Sigma_e$ and $l', l'' \in L_{\Sigma_e}$ such that $l'_i = l''_i$ and $l'_e = l''_e$ the function t satisfies $(t(l', a))_i = (t(l'', a))_i$.

In the literature an interpreted system also includes a *protocol* to specify the actions which are permitted at every particular state. Protocols are not essential to our study here as the effect of a prohibited action can be set to that of some fixed permitted action (which is always supposed to exist) to produce an equivalent system in which all actions are always permitted. Our variant of interpreted systems is borrowed from [LR06] and has a technically convenient feature which is not present in other works [FHMV95, LQR]: every agent's next local state can be directly affected by the local state of the environment through the transition function. Here follow the technical notions that are relevant to satisfaction of *ATL* formulas on interpreted systems.

Definition 2 (global runs and local runs) Given an $n \leq \omega$, a *run of length n* is a sequence

$$r = l^0 a^0 l^1 0 a^1 \dots \in L_{\Sigma_e} (Act_{\Sigma_e} L_{\Sigma_e})^n$$

such that $l^0 \in I$ and $l^{j+1} = t(l^j, a^j)$ for all $j < n$. A run is *infinite*, if $n = \omega$; otherwise it is *finite*. In either case we write $|r|$ for the *length n* of r . (Note that a run of length $n < \omega$ is indeed a sequence of $2n + 1$ states and actions.)

Given r as above and $\Gamma \subseteq \Sigma$, we write r_Γ for the corresponding *local run*

$$l_\Gamma^0 a_\Gamma^0 \dots a_\Gamma^{n-1} l_\Gamma^n \in L_\Gamma(\text{Act}_\Gamma L_\Gamma)^n$$

of Γ in which $l_\Gamma^j = \langle l_i^j : i \in \Gamma \rangle$ and $a_\Gamma^j = \langle a_i^j : i \in \Gamma \rangle$.

We denote the set of all runs of some fixed length $n \leq \omega$, the set of all finite runs, and the set of all runs in IS by $R^n(IS)$, $R^{fin}(IS)$ and $R(IS)$, respectively.

Given $i, j < \omega$ and an r as above such that $i \leq j \leq |r|$, we write $r[i..j]$ for $l^i a^i \dots a^{j-1} l^j$.

Definition 3 (indiscernibility) Given $r', r'' \in R(IS)$ and $i \leq |r'|, |r''|$, we write $r' \sim_{\Gamma, i} r''$ if $r'[0..i]_\Gamma = r''[0..i]_\Gamma$. We write $r' \sim_\Gamma r''$ for the conjunction of $r' \sim_{\Gamma, |r'|} r''$ and $|r'| = |r''|$.

Sequences of the form r_\emptyset consist of $\langle \rangle$ s, and, consequently, $[r]_\emptyset$ is the class of all the runs of length $|r|$. Obviously $\sim_{\Gamma, n}$ and \sim_Γ are equivalence relations on $R(IS)$.

Definition 4 We denote $\{r' \in R(IS) : r' \sim_\Gamma r\}$ by $[r]_\Gamma$.

Definition 5 (coalition strategies) A *strategy* for $\Gamma \subseteq \Sigma$ is a vector $s = \langle s_i : i \in \Gamma \rangle$ of functions s_i of type $\{r_i : r \in R^{fin}(IS)\} \rightarrow \text{Act}_i$. We write $S(\Gamma, IS)$ for the set of all the strategies for Γ in the considered interpreted system IS . Given $s \in S(\Gamma, IS)$ and $r \in R^{fin}(IS)$, we write $\text{out}(r, s)$ for the set

$$\{r' = l^0 a^0 \dots a^{n-1} l^n \dots \in R^\omega(IS) : r'[0..|r|] = r, a_i^j = s_i(r[0..j]_\Gamma) \text{ for all } i \in \Gamma \text{ and } j \geq |r|\}.$$

of the *outcomes* of r when Γ sticks to s from step $|r|$ on. Given an $X \subseteq R^{fin}(IS)$, $\text{out}(X, s)$ is $\bigcup_{r \in X} \text{out}(r, s)$.

Strategies, as defined above, are determined by the local views of the considered coalition members and are therefore *uniform*.

Definition 6 (modelling relation of ATL_{iR}^D) The relation $IS, r \models \varphi$ is defined for $r \in R^{fin}(IS)$ and formulas φ by the clauses:

$$\begin{aligned} IS, r &\not\models \perp; \\ IS, l^0 a^0 \dots a^{n-1} l^n &\models p \quad \text{iff} \quad V(l^n, p) \text{ for atomic propositions } p; \\ IS, r &\models \varphi \Rightarrow \psi \quad \text{iff} \quad \text{either } IS, r \not\models \varphi \text{ or } IS, r \models \psi; \\ IS, r &\models D_\Gamma \varphi \quad \text{iff} \quad IS, r' \models \varphi \text{ for all } r' \in [r]_\Gamma; \\ IS, r &\models \langle\langle \Gamma \rangle\rangle \circ \varphi \quad \text{iff} \quad \text{there exists an } s \in S(\Gamma, IS) \text{ such that} \\ &\quad IS, r'[0..|r|+1] \models \varphi \text{ for all } r' \in \text{out}([r]_\Gamma, s); \\ IS, r &\models \langle\langle \Gamma \rangle\rangle (\varphi \cup \psi) \quad \text{iff} \quad \text{there exists an } s \in S(\Gamma, IS) \text{ s. t. for every } r' \in \text{out}([r]_\Gamma, s) \text{ there exists} \\ &\quad \text{a } k < \omega \text{ s. t. } IS, r'[0..|r|+i] \models \varphi \text{ for all } i < k \text{ and } IS, r'[0..|r|+k] \models \psi; \\ IS, r &\models [[\Gamma]] (\varphi \cup \psi) \quad \text{iff} \quad \text{for every } s \in S(\Gamma, IS) \text{ there exist an } r' \in \text{out}([r]_\Gamma, s) \text{ and a } k < \omega \text{ s. t.} \\ &\quad IS, r'[0..|r|+i] \models \varphi \text{ for all } i < k \text{ and } IS, r'[0..|r|+k] \models \psi. \end{aligned}$$

Validity of formulas in entire interpreted systems and on the class of all interpreted systems, that is, in the logic ATL_{iR}^D , is defined as satisfaction at all 0-length runs in the considered interpreted system, and at all the 0-length runs in all the systems in the considered class, respectively.

In this paper we assume that each coalition member uses only its own observation power in following a coalition strategy. Allowing coalition members to share their observations gives rise to a more general form of strategy, which are functions of type $\{r_\Gamma : r \in R^{fin}(IS)\} \rightarrow \text{Act}_\Gamma$, and which was assumed by the model-checking algorithm proposed in [GDE11].

Abbreviations

\top , \neg , \vee , \wedge and \Leftrightarrow have their usual meanings. To keep the use of (and) down, we assume that unary connectives bind the strongest, the binary modalities $\langle\langle\Gamma\rangle\rangle(\cdot\text{U}\cdot)$ and $\llbracket\Gamma\rrbracket(\cdot\text{U}\cdot)$, and the derived ones below, bind the weakest, and their parentheses are never omitted, and the binary boolean connectives come in the middle, in decreasing order of their binding power as follows: \wedge , \vee , \Rightarrow and \Leftrightarrow . We enumerate coalitions without the $\{$ and $\}$. E.g., the shortest way to write $\langle\langle\{1\}\rangle\rangle(((p \Rightarrow q) \wedge P_{\{1\}}r)\text{UD}_{\{2,3\}}(r \vee q))$ is $\langle\langle 1 \rangle\rangle((p \Rightarrow q) \wedge P_1 r \text{UD}_{2,3}(r \vee q))$. We write P for the dual of D :

$$P_{\Gamma}\varphi \equiv \neg D_{\Gamma}\neg\varphi.$$

The rest of the combinations of the cooperation modality and future temporal connectives are defined by the clauses

$$\begin{aligned} \langle\langle\Gamma\rangle\rangle\Diamond\varphi &\equiv \langle\langle\Gamma\rangle\rangle(\top\text{U}\varphi) & \langle\langle\Gamma\rangle\rangle\Box\varphi &\equiv \neg\llbracket\Gamma\rrbracket\Diamond\neg\varphi & \langle\langle\Gamma\rangle\rangle(\varphi\text{W}\psi) &\equiv \neg\llbracket\Gamma\rrbracket(\neg\psi\text{U}\neg\psi \wedge \neg\varphi) \\ \llbracket\Gamma\rrbracket\Diamond\varphi &\equiv \llbracket\Gamma\rrbracket(\top\text{U}\varphi) & \llbracket\Gamma\rrbracket\Box\varphi &\equiv \neg\langle\langle\Gamma\rangle\rangle\Diamond\neg\varphi & \llbracket\Gamma\rrbracket(\varphi\text{W}\psi) &\equiv \neg\langle\langle\Gamma\rangle\rangle(\neg\psi\text{U}\neg\psi \wedge \neg\varphi) \end{aligned}$$

1.2 ATL_{iR}^D with epistemic objectives only

In [GDE11] we axiomatized a subset of ATL_{iR}^D with past in which $\langle\langle\cdot\rangle\rangle(\cdot\text{U}\cdot)$ was allowed only in the derived construct $\langle\langle\Gamma\rangle\rangle\Diamond D_{\Gamma}\varphi$, and $\llbracket\cdot\rrbracket(\cdot\text{U}\cdot)$ was allowed only in the derived construct $\langle\langle\Gamma\rangle\rangle\Box\varphi$. Because of the validity of the equivalences

$$\langle\langle\Gamma\rangle\rangle\circ\varphi \Leftrightarrow \langle\langle\Gamma\rangle\rangle\circ D_{\Gamma}\varphi \text{ and } \langle\langle\Gamma\rangle\rangle\Box\varphi \Leftrightarrow \langle\langle\Gamma\rangle\rangle\Box D_{\Gamma}\varphi,$$

that entailed that all the objectives allowed in that subset were epistemic. We argued that, under some assumptions, any $\langle\langle\cdot\rangle\rangle(\cdot\text{U}\cdot)$ formula could be transformed into an equivalent one of the form $\langle\langle\Gamma\rangle\rangle\Diamond D_{\Gamma}\varphi$ thus asserting the significance of the considered subset. Both the axiomatization and the reduction to epistemic goals relied on the presence of the past operators. In this paper we consider another subset of ATL_{iR}^D . Its formulas have the syntax

$$\varphi, \psi ::= \perp \mid p \mid (\varphi \Rightarrow \psi) \mid D_{\Gamma}\varphi \mid \langle\langle\Gamma\rangle\rangle\circ\varphi \mid \langle\langle\Gamma\rangle\rangle(D_{\Gamma}\varphi\text{U}D_{\Gamma}\psi) \quad (2)$$

Unlike the subset from [GDE11], here we allow formulas of the form $\langle\langle\Gamma\rangle\rangle(D_{\Gamma}\varphi\text{U}D_{\Gamma}\psi)$. However, we exclude even the special case $\langle\langle\Gamma\rangle\rangle\Box\varphi$ of the use of $\llbracket\Gamma\rrbracket(P_{\Gamma}\varphi\text{U}P_{\Gamma}\psi)$. The reasons are discussed in the end of Section 2.

1.3 CTL with distributed knowledge

This is the target logic of our translation. Its formulas have the syntax

$$\varphi, \psi ::= \perp \mid p \mid (\varphi \Rightarrow \psi) \mid D_{\Gamma}\varphi \mid \exists\circ\varphi \mid \exists(\varphi\text{U}\psi) \mid \forall(\varphi\text{U}\psi)$$

where Γ ranges over finite sets of agents as above. The clauses for the semantics of the connectives in common with ATL_{iR}^D are as in ATL_{iR}^D ; the clauses about formulas built using \exists and \forall are as follows:

$$IS, r \models \exists\circ\varphi \quad \text{iff} \quad \text{there exists an } r' \in R^{|r|+1}(IS) \text{ such that } r = r'[0..|r|] \text{ and } IS, r' \models \varphi;$$

$$IS, r \models \exists(\varphi\text{U}\psi) \quad \text{iff} \quad \text{there exists an } r' \in R^{\omega}(IS) \text{ such that } r = r'[0..|r|] \text{ and a } k < \omega \text{ such that } IS, r'[0..|r|+i] \models \varphi \text{ for all } i < k \text{ and } IS, r'[0..|r|+k] \models \psi;$$

$$IS, r \models \forall(\varphi\text{U}\psi) \quad \text{iff} \quad \text{for every } r' \in R^{\omega}(IS) \text{ such that } r = r'[0..|r|] \text{ there exists a } k < \omega \text{ such that } IS, r'[0..|r|+i] \models \varphi \text{ for all } i < k \text{ and } IS, r'[0..|r|+k] \models \psi.$$

Note that the the occurrences of D_{\emptyset} is vital for the validity of the equivalences

$$P_{\emptyset}\exists\circ\varphi \Leftrightarrow \llbracket\emptyset\rrbracket\circ\varphi, \quad P_{\emptyset}\exists(\varphi\text{U}\psi) \Leftrightarrow \llbracket\emptyset\rrbracket(\varphi\text{U}\psi) \text{ and } D_{\emptyset}\forall(\varphi\text{U}\psi) \Leftrightarrow \langle\langle\emptyset\rangle\rangle(\varphi\text{U}\psi).$$

in the combined language of ATL_{iR}^D and CTL because of the requirement on strategies to be uniform; e.g., $\langle\langle\emptyset\rangle\rangle(\varphi \cup \psi)$ means that $(\varphi \cup \psi)$ holds along all the extensions of all the runs *which are indiscernible from the reference run to the empty coalition*. Therefore here $\langle\langle\emptyset\rangle\rangle$ does not subsume \forall in the straightforward way known about the case ATL of complete information.

The combination $\forall \circ$ and the combinations of \exists and \forall with the derived temporal connectives $(.W.)$, \diamond and \square are defined in the usual way.

2 A validity preserving translation into $CTL + D$ with perfect recall

Our translation captures the subset of ATL which is given by the BNF

$$\varphi, \psi ::= \perp \mid p \mid (\varphi \Rightarrow \psi) \mid \ominus \varphi \mid (\varphi S \psi) \mid D_{\Gamma} \varphi \mid \langle\langle \Gamma \rangle\rangle \circ \varphi \mid \langle\langle \Gamma \rangle\rangle (D_{\Gamma} \varphi \cup D_{\Gamma} \psi)$$

We explain how to eliminate occurrences of $\langle\langle \cdot \rangle\rangle$ in formulas of the form $\langle\langle \Gamma \rangle\rangle (D_{\Gamma} \varphi \cup D_{\Gamma} \psi)$ first. In the sequel we write $[\alpha/p]\beta$ for the substitution of the occurrences of atomic proposition p in β by α .

Proposition 7 *Assuming that p and q are fresh atomic propositions, the satisfiability of $[\langle\langle \Gamma \rangle\rangle (D_{\Gamma} \varphi \cup D_{\Gamma} \psi)/p]\chi$ (at a 0-length run) is equivalent to the satisfiability of*

$$\begin{aligned} \chi & \wedge D_{\emptyset} \forall \square (p \vee q \Rightarrow D_{\Gamma} \psi \vee (D_{\Gamma} \varphi \wedge \langle\langle \Gamma \rangle\rangle \circ q)) \\ & \wedge D_{\emptyset} \forall \square (p \Leftrightarrow D_{\Gamma} \psi \vee (D_{\Gamma} \varphi \wedge \langle\langle \Gamma \rangle\rangle \circ p)) \\ & \wedge D_{\emptyset} \forall \square (p \Rightarrow D_{\Gamma} \psi \vee (D_{\Gamma} \varphi \wedge \forall \circ \forall (q \Rightarrow D_{\Gamma} \varphi \cup q \Rightarrow D_{\Gamma} \psi))). \end{aligned} \quad (3)$$

Next we explain how to eliminate occurrences of the "basic" ATL construct $\langle\langle \Gamma \rangle\rangle \circ \varphi$. Let IS stand for some arbitrary interpreted system (1) with finite branching, with $\Sigma = \{1, \dots, N\}$ as its set of agents, AP as its vocabulary. We adapt the following simple observation, which works in case Act_i , $i \in \Sigma$ are fixed. Readers who are familiar with the original semantics of ATL on *alternating transition systems (ATS)* from [AHK97] will recognize the similarity of our technique with the transformation of *concurrent game structures* into equivalent ATS from [GJ04]. Assuming that Act_i , $i \in \Sigma_e$, are pairwise disjoint, and disjoint with AP , we consider the vocabulary $AP^{Act} = AP \cup \bigcup_{i \in \Sigma_e} Act_i$.

Definition 8 Given IS and $* \notin \bigcup_{i \in \Sigma_e} Act_i$, we define the interpreted system

$$IS^{Act} = \langle\langle L_i^{Act} : i \in \Sigma_e \rangle, I^{Act}, \langle Act_i : i \in \Sigma_e \rangle, t^{Act}, V^{Act} \rangle$$

by putting:

$$\begin{aligned} L_i^{Act} & = L_i \times (Act_i \cup \{*\}), \quad i \in \Sigma_e; \\ I^{Act} & = \{ \langle \langle l_i, * \rangle : i \in \Sigma_e \rangle : l \in I \}; \\ t^{Act}(\langle \langle l_i, a_i \rangle : i \in \Sigma_e \rangle, b) & = \langle \langle (t(l, b))_i, b_i \rangle : i \in \Sigma_e \rangle; \\ V^{Act}(\langle \langle l_i, a_i \rangle : i \in \Sigma_e \rangle, p) & \leftrightarrow V(\langle l_i : i \in \Sigma_e \rangle, p) \text{ for } p \in AP; \\ V^{Act}(\langle \langle l_i, a_i \rangle : i \in \Sigma_e \rangle, b) & \leftrightarrow b = a_j \text{ for } b \in Act_j, \quad j \in \Sigma_e. \end{aligned}$$

In short, an IS^{Act} state is an IS state augmented with a record of the actions which lead to it, the dummy symbol $*$ being used in initial states. Let $R \subseteq L_{\Sigma_e}^{Act} \times L_{\Sigma_e}^{Act}$ and $R(\langle \langle l_i, a_i \rangle : i \in \Sigma_e \rangle, \langle \langle v_i, b_i \rangle : i \in \Sigma_e \rangle)$ iff $v = t^{Act}(l, b)$. Then $IS^{Act}, r \models \exists \circ \varphi$ iff $IS^{Act}, r a l' \models \varphi$ for some $l' \in R(l)$ and the only $a \in Act_{\Sigma_e}$ such that $r a l' \in R^{fin}(IS^{Act})$. The key observation in our approach is that

$$IS, r \models \langle \langle i_1, \dots, i_k \rangle \rangle \circ \varphi \text{ iff } IS^{Act}, r^{Act} \models \bigvee_{a_1 \in Act_{i_1}} \dots \bigvee_{a_k \in Act_{i_k}} D_{\{i_1, \dots, i_k\}} \forall \circ \left(\bigwedge_{j=1}^k a_{i_j} \Rightarrow \varphi \right) \quad (4)$$

For this observation to work without referring to the actions in the particular interpreted system, given an arbitrary IS , we enrich it with dedicated actions which are linked to the objectives occurring in the considered formula. We define the transition function on these actions so that if a particular $\circ\varphi$ -objective can be achieved at finite run r at all, then it can be achieved by taking the corresponding dedicated actions at the last state of r . This can be achieved in forest-like systems where runs can be determined from their final states. Similarly, we introduce express actions for the environment that enable it to foil objectives at states at which they objectives cannot be achieved by the respective coalitions using any strategy based on the original actions. (Giving the environment such powers does not affect the satisfaction of formulas as it never participates in coalitions.) The sets Act_i , $i \in \Sigma_e$ of atomic propositions by which we model actions satisfy the formula

$$A(Act_1, \dots, Act_N, Act_e) \equiv \bigwedge_{a_1 \in Act_1} \dots \bigwedge_{a_N \in Act_N} \bigwedge_{a_e \in Act_e} \exists \circ \bigwedge_{i \in \Sigma_e} a_i,$$

which states that any vector of actions from Act_{Σ_e} produces a transition. Consider an ATL_{IR}^D formula of the form below with no occurrences of $(.U.)$ -objectives:

$$\chi \wedge D_0 \forall \square A(Act_1, \dots, Act_N, Act_e) \quad (5)$$

Here $Act_1, \dots, Act_N, Act_e$ consist of the atomic propositions which have been introduced to eliminate $\langle\langle \Gamma \rangle\rangle \circ \varphi$ -subformulas so far. For the original χ we assume $Act_i = \{\text{nop}_i\}$, $i \in \Sigma_e$, where nop_i have no specified effect. We remove the occurrences of $\langle\langle \Gamma \rangle\rangle \circ \varphi$ -subformulas in χ working bottom-up as follows.

Proposition 9 *Let $a_{\Gamma, i, \varphi}$, $i \in \Gamma \cup \{e\}$, be fresh atomic propositions, $Act'_i = Act_i \cup \{a_{\Gamma, i, \varphi}\}$ for $i \in \Gamma \cup \{e\}$ and $Act'_i = Act_i$ for $i \in \Sigma \setminus \Gamma$. Then the satisfiability of*

$$[\langle\langle \Gamma \rangle\rangle \circ \varphi / p] \chi \wedge D_0 \forall \square A(Act_1, \dots, Act_N, Act_e) \quad (6)$$

entails the satisfiability of the formula

$$\begin{aligned} & \left[D_{\Gamma} \forall \circ \left(\bigwedge_{i \in \Gamma} a_{\Gamma, i, \varphi} \Rightarrow \varphi \right) / p \right] \chi \wedge \\ & D_0 \forall \square \left(D_{\Gamma} \forall \circ \left(\bigwedge_{i \in \Gamma} a_{\Gamma, i, \varphi} \Rightarrow \varphi \right) \vee P_{\Gamma} \forall \circ (a_{\Gamma, e, \varphi} \Rightarrow \neg \varphi) \right) \wedge \\ & D_0 \forall \square A(Act'_1, \dots, Act'_N, Act'_e). \end{aligned} \quad (7)$$

The above proposition shows how to eliminate one by one all the occurrences of the cooperation modalities in an any given ATL_{IR}^D formula χ with the cooperation modalities appearing only in subformulas of the form $\langle\langle \Gamma \rangle\rangle \circ \varphi$ and obtain a $CTL + D$ formula χ' such that if χ is satisfiable, then so is χ' . Now consider a purely- $CTL + D$ formula of the form (5). The satisfaction of (5) requires just a transition relation for the passage of time to define as it contains no $\langle\langle \Gamma \rangle\rangle$ s and hence no reference to actions. That is, we assume a satisfying model of the form

$$IS^- = \langle\langle L_i : i \in \Sigma_e \rangle, I, -, V \rangle \quad (8)$$

where L_i , $i \in \Sigma_e$, I and V are as in interpreted systems, and $-$ is a serial binary relation on the set of the global states L_{Σ_e} that represents the passage of time. We define the remaining interpreted system components as follows. We choose the set of actions of each agent i , including the environment, to be the corresponding set of atomic propositions Act_i from (5). For any $a \in Act_{\Sigma_e}$ and any $l \in L_{\Sigma_e}$ we choose $t(l, a)$ to be an arbitrary member of $-(l) \cap \bigcap_{i \in \Sigma_e} \{l' \in L_{\Sigma_e} : V(l', a_i)\}$. The nonemptiness of the latter set is guaranteed by the validity of $A(Act_1, \dots, Act_N, Act_e)$ in IS^- , which states that every state has a successor

satisfying the conjunction $\bigwedge_{i \in \Sigma_e} a_i$ for any given vector of actions $a \in Act_{\Sigma_e}$. Let IS stand for the system obtained by this definition of Act_i , $i \in \Sigma_e$, and t . It remains to show that

$$IS, r \models D_{\Gamma} \forall \circ \left(\bigwedge_{i \in \Gamma} a_{\Gamma, i, \varphi} \Rightarrow \varphi \right) \quad (9)$$

is equivalent to $IS, r \models \langle\langle \Gamma \rangle\rangle \circ \varphi$ for any subformula $\langle\langle \Gamma \rangle\rangle \circ \varphi$ eliminated in the process of obtaining (5). For the forward direction, establishing that the actions $a_{\Gamma, i, \varphi}$, $i \in \Gamma$ provides Γ with a strategy to achieve φ in one step is easily done by a direct check. For the converse direction, if (9) is false, then the validity of the second conjunctive member of (7) entails that Γ cannot rule out the possibility that the environment can enforce $\neg\varphi$ in one step by choosing its corresponding action $a_{\Gamma, e, \varphi}$.

Formulas of the form $\llbracket \Gamma \rrbracket (P_{\Gamma} \varphi \cup P_{\Gamma} \psi)$

We first note that no restriction on formulas of the respective more general form $\llbracket \Gamma \rrbracket (\varphi \cup \psi)$ is necessary in the case of complete information.

Proposition 10 (eliminating $\llbracket \Gamma \rrbracket (\varphi \cup \psi)$ in ATL with complete information) *Let p and q be some fresh atomic propositions. The satisfiability of*

$$\llbracket \Gamma \rrbracket (\varphi \cup \psi) / p \chi$$

in ATL with complete information is equivalent to the satisfiability of

$$\begin{aligned} \chi & \wedge \forall \square (p \vee q \Rightarrow \psi \vee (\varphi \wedge \llbracket \Gamma \rrbracket \circ q)) \\ & \wedge \forall \square (p \Leftrightarrow \psi \vee (\varphi \wedge \llbracket \Gamma \rrbracket \circ p)) \\ & \wedge \forall \square (p \Rightarrow \psi \vee (\varphi \wedge \forall \circ \forall (q \Rightarrow \varphi \cup q \Rightarrow \psi))). \end{aligned} \quad (10)$$

In the incomplete information case our approach suggests replacing $\llbracket \Gamma \rrbracket (P_{\Gamma} \varphi \cup P_{\Gamma} \psi) / p \chi$ by

$$\begin{aligned} \chi & \wedge D_{\emptyset} \forall \square (p \vee q \Rightarrow P_{\Gamma} \psi \vee (P_{\Gamma} \varphi \wedge \llbracket \Gamma \rrbracket \circ q)) \\ & \wedge D_{\emptyset} \forall \square (p \Leftrightarrow P_{\Gamma} \psi \vee (P_{\Gamma} \varphi \wedge \llbracket \Gamma \rrbracket \circ p)) \\ & \wedge D_{\emptyset} \forall \square (p \Rightarrow P_{\Gamma} \psi \vee (P_{\Gamma} \varphi \wedge \dots)). \end{aligned}$$

where, in a forest-like system IS , q is supposed to mark states which are reached from runs r in which Γ cannot achieve $(P_{\Gamma} \varphi \cup P_{\Gamma} \psi)$ when Γ 's actions a are complemented on behalf of the non-members of Γ by some actions b_{a_1, r_1} that foil the objective, and \dots is supposed to express that any sequence of vectors of actions $a_1, a_2, \dots \in Act_{\Gamma}$ when complemented by the corresponding $b_{a_1, r_1}, b_{a_2, r_2}, \dots$ can generate a sequence r_1, r_2, \dots of finite runs, starting with the reference one, each of them being Γ -indiscernible from the extension of the previous one, by the outcome of the respective $a_k \cdot b_{a_k, r_k}$, such that there exists a $k < \omega$ with $IS, r_j \models q \wedge D_{\Gamma} \varphi$, $j = 1, \dots, k-1$, and $IS, r_k \models \neg q \vee D_{\Gamma} \psi$. The fixpoint construct that would best serve expressing this condition can be written as $\mu X. \alpha \vee (\beta \wedge P_{\Gamma} \forall \circ X)$ in the modal μ -calculus (cf. e.g. [BS06]). Finding a substitute for it in $CTL + D$ appears problematic.

Concluding remarks

Our approach is inspired by temporal resolution [FDP01], which has been extended to epistemic LTL [DFW98] and to (non-epistemic) CTL and CTL^* [BF99, BDF99], the latter system being the closest to our target system $CTL + D$. Following the example of these works, a resolution system for $CTL + D$ could be proved complete by showing how to reproduce in it any proof in some complete, e.g., Hilbert

style proof system. A complete axiomatization for epistemic CTL^* with perfect recall can be found in [vdMK03], but the completeness was demonstrated with respect to the so-called *bundle* semantics, where a model may consist of some set of runs that need not be all the runs generated by a transition system. and the form of collective knowledge considered in [vdMK03] is *common knowledge*, whereas we have distributed knowledge. The setting for the complexity results from [HV86] is similar. The tableau-based decision procedure for epistemic CTL with both common and distributed knowledge from [GS09b] does not cover the case of perfect recall. To the best of our knowledge no decision procedure of feasible complexity such as the resolution- and tableau-based ones that are available for so many closely related systems from the above works has been developed yet for validity in $CTL + D$ with perfect recall.

Acknowledgement

The research in this paper was partially supported through Bulgarian National Science Fund Grant DID02/32/2009.

References

- [AHK97] Rajeev Alur, Tom Henzinger, and Orna Kupferman. Alternating-time Temporal Logic. In *Proceedings of FCS'97*, pages 100–109, 1997, doi:10.1007/3-540-49213-5_2.
- [AHK02] Rajeev Alur, Tom Henzinger, and Orna Kupferman. Alternating-time temporal logic. *Journal of the ACM*, 49(5):1–42, 2002, doi:10.1145/585265.585270.
- [BDF99] Alexander Bolotov, Clare Dixon, and Michael Fisher. Clausal Resolution for CTL^* . In *MFCS*, volume 1672 of *LNCS*, pages 137–148. Springer, 1999, doi:10.1007/3-540-48340-3_13.
- [BF99] Alexander Bolotov and Michael Fisher. A clausal resolution method for CTL branching-time temporal logic. *J. Exp. Theor. Artif. Intell.*, 11(1):77–93, 1999, doi:10.1080/095281399146625.
- [BS06] Julian Bradfield and Colin Stirling. Modal μ -Calculi. In *Handbook of Modal Logic*, volume 3 of *Studies in Logic and Practical Reasoning*, pages 721–756. Elsevier, 2006.
- [DFW98] Clare Dixon, Michael Fisher, and Michael Wooldridge. Resolution for Temporal Logics of Knowledge. *Journal of Logic and Computation*, 8(3):345–372, 1998, doi:10.1093/logcom/8.3.345.
- [DT11] Catalin Dima and Ferucio Laurentiu Tiplea. Model-checking ATL under Imperfect Information and Perfect Recall Semantics is Undecidable. *CoRR*, abs/1102.4225, 2011.
- [FDP01] Michael Fisher, Clare Dixon, and Martin Peim. Clausal Temporal Resolution. *ACM Trans. Comput. Log.*, 2(1):12–56, 2001, doi:10.1145/371282.371311.
- [FHMV95] Ronald Fagin, Joseph Halpern, Yoram Moses, and Moshe Vardi. *Reasoning about Knowledge*. MIT Press, 1995.
- [GDE11] Dimitar P. Guelev, Catalin Dima, and Constantin Enea. An Alternating-time Temporal Logic with Knowledge, Perfect Recall and Past: Axiomatisation and Model-checking. *Journal of Applied Non-Classical Logics*, 21(1):93–131, 2011, , doi:10.3166/jancl.21.93-131.
- [GJ04] Valentin Goranko and Wojtek Jamroga. Comparing Semantics for Logics of Multi-agent Systems. *Synthese*, 139(2):241–280, 2004.
- [GS09a] Valentin Goranko and Dmitry Shkatov. Tableau-based decision procedure for full coalitional multiagent temporal-epistemic logic of linear time. In *AAMAS (2)*, pages 969–976. IFAAMAS, 2009, doi:10.1145/1558109.1558147.

- [GS09b] Valentin Goranko and Dmitry Shkatov. Tableau-based decision procedure for the full coalitional multiagent logic of branching time. In *MALLOW*, volume 494 of *CEUR Workshop Proceedings*. CEUR-WS.org, 2009.
- [GS09c] Valentin Goranko and Dmitry Shkatov. Tableau-based decision procedures for logics of strategic ability in multiagent systems. *ACM Trans. Comput. Log.*, 11(1), 2009, doi:10.1145/1614431.1614434.
- [GvD06] Valentin Goranko and Govert van Drimmelen. Decidability and Complete Axiomatization of the Alternating-time Temporal Logic. *Theoretical Computer Science*, 353(1-3):93–117, 2006, doi:10.1016/j.tcs.2005.07.043.
- [HV86] Joseph Y. Halpern and Moshe Y. Vardi. The complexity of reasoning about knowledge and time: Extended abstract. In Juris Hartmanis, editor, *STOC*, pages 304–315. ACM, 1986, doi:10.1145/12130.12161.
- [JvdH04] Wojciech Jamroga and Wiebe van der Hoek. Agents That Know How to Play. *Fundamenta Informaticae*, 63(2-3):185–219, 2004.
- [LQR] Alessio Lomuscio, Hongyang Qu, and Franco Raimondi. MCMAS: a Model Checker for Multi-Agents Systems. URL: <http://www-lai.doc.ic.ac.uk/mcmas/>. Accessed in January, 2010.
- [LR06] Alessio Lomuscio and Franco Raimondi. Model checking knowledge, strategies, and games in multi-agent systems. In *Proceedings of AAMAS'06*, pages 161–168. ACM Press, 2006, doi:10.1145/1160633.1160660.
- [Pau02] Marc Pauly. A Modal Logic for Coalitional Power in Games. *Journal of Logic and Computation*, 12(1):149–166, 2002, doi:10.1093/logcom/12.1.149.
- [vdHW03] Wiebe van der Hoek and Michael Wooldridge. Cooperation, Knowledge and Time: Alternating-time Temporal Epistemic Logic and Its Applications. *Studia Logica*, 75:125–157, 2003, doi:10.1023/A:1026185103185.
- [vdMK03] Ron van der Meyden and Ka-shu Wong. Complete Axiomatizations for Reasoning about Knowledge and Branching Time. *Studia Logica*, 75(1):93–123, 2003, doi:10.1023/A:1026181001368.
- [Zha10] Lan Zhang. *Clausal reasoning for branching-time logics*. Ph.d. thesis, University of Liverpool, 2010. Accessed in December 2012 from http://research-archive.liv.ac.uk/3373/4/ZhangLan_Dec2010_3373.pdf.